

# SRS Violin ATF III MV



## Multifunctional Automatic Transmission Oil

February 2021

### Characteristics

**SRS Violin ATF III MV** is an automatic transmission fluid made from selected base oils and a high performance additive package based on modern synthetic technology. SRS Violin ATF III MV can be used in modern passenger cars and commercial vehicles automatic transmissions and steering systems. It has very good wear-, corrosion- and oxidation protection and a high friction stability.

### Application

**SRS Violin ATF III MV** is a multifunctional automatic transmission fluid which meets the requirements of many European, American and Asian manufacturers. It is suitable for use in automatic transmissions that are equipped with or without the slip locking clutch. SRS Violin ATF III MV can also be used in automatic transmissions requiring the MB-Specification MB 236.1, 236.2, 236.3, 236.5, 236.6, 236.7, 236.9, 236.10, 236.11, 236.12, 236.14, 236.15, 236.41, 236.81 or 236.91. Because of the backward compatibility to older models, SRS Violin ATF III MV can reduce product storage.

It can also be used in vehicles in which the MAN specification MAN Type 339 V1 / Z1 required.

SRS Violin ATF III MV is not suitable for use in DCT / DSG or CVT transmissions.

### Specifications

- JASO 1-A

### Approvals

- MB-Approval 236.9
- ZF Approval Number ZF002061  
ZF TE-ML 04D, 14B, 20B, 25B
- Voith H55.6336.XX
- Voith-DIWA H59.633648
- MAN 339 Type V2 / Z2 and Z11

### Recommendations

- GM DEXRON IIIH, IIIG, IID
- Ford Mercon V
- VW G 052 162, G 052 990, G 055 025
- VW G 055 005, G 055 162, G 052 540
- PSA AL-4
- Saab 3309
- Honda ATF Z-1
- Idemitsu K17 (JATCO)
- Aisin Warner JWS 3309
- Chrysler ATF +3, +4, MOPAR ASRC
- Mazda ATF-M III, ATF-MV
- Mitsubishi Diaqueen ATF J3, SP-II, SP-III
- Nissan 402, Nissan Matic-D, J, K
- Volvo 97340, 97341
- Volvo 4 speed (P/N 1161621), (PIN 1161540)
- Isuzu NPR ECO MAX, NPR HD, NPR XD, NQR und NRR-SCS
- Renault DP-0
- BMW 7045E, 8072B, LA 2634, LT 71141, M 1375.4
- Hyundai / KIA SP-II, SP-III, JWS 3314, JWS 3317
- KIA Red-1 / Red-1K
- Suzuki 3314, 3317
- Toyota T, T-II, T-III, T-IV
- Subaru ATF, ATF-HP
- ZF TE-ML 03D, 05L, 09, 11A, 11B, 14A, 16L, 16R, 17C, 21L
- Allison TES-295 / -389, Allison C-4

SRS Violin ATF III MV is a product of the H&R ChemPharm GmbH.

Typical Data	Test Method	SRS Violin ATF III MV
Colour	DIN ISO 2049	red
Density at 15°C	DIN 51 757	0.851
Dyn. Viscosity at -40°C (CCS)	DIN 51 398	<20,000
Kin. Viscosity at 40°C	DIN EN ISO 3104	36.0
Kin. Viscosity at 100°C	DIN EN ISO 3104	7.49
Viscosity Index (VI)	DIN ISO 2909	182
Flash Point COC	DIN ISO 2592	210
Pour Point	DIN ISO 3016	- 54

The above values may vary within the commercial limits.

**Made in Germany**